EO 27/27 CJC[™] Acid Neutralisation Insert



CJC[™] Product Sheet

APPLICATION

The **CJCTM Insert EO 27/27** is used in CJCTM Fine Filters and ideal for reduction of the neutralisation number of, for example:

- HFD-Fluids (Phosphoric Ester)
- Transformer oils (Insulating oils)
- Crankcase lube oils (gas engines)

FILTRATION CAPABILITY

• Neutralisation Capacity

The CJC^m EO 27/27 Inserts neutralise acidic components in the fluid created by hydrolysis caused by high thermal load or water contamination.

These components in the operating fluid not only lead to corrosion, deposits and reduced lubricity but also function as a catalyst and accelerate further oxidation and acidification of the fluid.

For HFD-Fluids a maximum neutralisation number of 0.5 is recommended.

Neutralisation number: indicating the amount of potassic hydroxide (KOH) in mg necessary for binding the free acids contained in 1 g of the fluid.

Neutralisation capacity of an EO 27/27 (approximate values):

> 0.16 with 1,000 litres fluid 0.08 with 2,000 litres fluid 0.04 with 4.000 litres fluid

DIMENSIONS

The figures below are nominal: Diameter: 27 cm Height: 27 cm

COMPONENTS

The CJC^m Insert EO 27/27 consists of a bag of polyester needlefelt filled with 9,5 kg of Aluminium Oxide.



IDENTIFICATION

To order the EO 27/27 Insert, please use:

Article No.: 1 x 27/27: PD5600607