





CCJ MATERIAL SAFETY DATA SHEET

CJCTM Filter Insert types of all sizes

EC (Fuller's Earth)

1. CHEMICAL PRODUCT AND COMPANY I.D.

MSDS Date : 2014.05.09 Key : BFN, Rev. 02.

CJC TM is a trademark of C.C. JENSEN A/S or one of its subsidiaries.

COMPANY I.D.: C.C. JENSEN A/S

Løvholmen 13 DK 5700 Svendborg

DENMARK

HEALTH EMERGENCY: +45 6321 2031 SPILL EMERGENCY: +45 6321 2031

2. COMPOSITION/INFORMATION ON INGREDIENTS

No CAS REG NO WEIGHT (%)

1 Fuller's Earth 8031-18-3 100 %

Toxicological Data on Ingredients: Fuller's earth LD50: Not available. LC50: Not available.

3. HAZARDS IDENTIFICATION

Potential Acute Health Effects:

Hazardous in case of eye contact (irritant), of ingestion, of inhalation.

Slightly hazardous in case of skin contact (irritant).



Potential Chronic Health Effects:

Hazardous in case of eye contact (irritant), of ingestion, of inhalation. Slightly hazardous in case of skin contact (irritant).

CARCINOGENIC EFFECTS: Not available. MUTAGENIC EFFECTS: Not available.

TERATOGENIC EFFECTS: Not available.

DEVELOPMENTAL TOXICITY: Not available.

4. FIRST AID MEASURES

Eye Contact: Check for and remove any contact lenses. Do not use an eye ointment. Seek medical attention.

Skin Contact:

After contact with skin, wash immediately with plenty of water. Gently and thoroughly wash the contaminated skin with running water and non-abrasive soap. Be particularly careful to clean folds, crevices, creases and groin.

Cover the irritated skin with an emollient. If irritation persists, seek medical attention.

Serious Skin Contact: Not available.

Inhalation: Allow the victim to rest in a well ventilated area. Seek immediate medical attention.

Serious Inhalation: Not available.

Ingestion:

Do not induce vomiting. Loosen tight clothing such as a collar, tie, belt or waistband. If the victim is not breathing, perform mouth-to-mouth resuscitation.

Seek immediate medical attention.

Serious Ingestion: Not available.

5. FIRE FIGHTING MEASURES

Flammability of the Product: Non-flammable. Auto-Ignition Temperature: Not

applicable.

Flash Points: Not applicable. Flammable Limits: Not applicable.

Products of Combustion: Not available.

Fire Hazards in Presence of Various Substances: Not applicable.

Explosion Hazards in Presence of Various Substances:

Risks of explosion of the product in presence of mechanical impact: Not available. Risks of explosion of the product in presence of static discharge: Not available.

Fire Fighting Media and Instructions: Not applicable. Special Remarks on Fire Hazards: Not available.

Special Remarks on Explosion Hazards: Not available.



6. ACCIDENTAL RELEASE MEASURES

Small Spill:

Use appropriate tools to put the spilled solid in a convenient waste disposal container. Finish cleaning by spreading water on the contaminated surface and dispose of according to local and regional authority requirements.

Large Spill:

Use a shovel to put the material into a convenient waste disposal container. Finish cleaning by spreading water on the contaminated surface and allow to evacuate through the sanitary system.

7. HANDLING AND STORAGE

Precautions:

Do not breathe dust. Avoid contact with eyes. Wear suitable protective clothing In case of insufficient ventilation. Wear suitable respiratory equipment if you feel unwell, seek medical attention and show the label when possible.

Storage:

No specific storage is required. Use shelves or cabinets sturdy enough to bear the weight of the chemicals. Be sure that it is not necessary to strain to reach materials, and that shelves are not overloaded.

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Engineering Controls:

Use process enclosures, local exhaust ventilation, or other engineering controls to keep airborne levels below recommended exposure limits.

If user operations generate dust, fume or mist, use ventilation to keep exposure to airborne contaminants below the exposure limit.

Personal Protection:

Splash goggles. Lab coat. Dust respirator. Be sure to use an approved/certified respirator or equivalent. Gloves.

Personal Protection in Case of a Large Spill:

Splash goggles. Full suit. Dust respirator. Boots. Gloves.

A self contained breathing apparatus should be used to avoid inhalation of the product. Suggested protective clothing might not be sufficient; consult a specialist BEFORE handling this product.

Exposure Limits: Not available.



9. PHYSICAL AND CHEMICAL PROPERTIES

Physical state and appearance: Solid. Odor: Not available.

Taste: Not available.

Color: Not available.

Molecular Weight: Not available.

pH (1% soln/water): Not available.

Boiling Point: Not available.

Critical Temperature: Not available.

Vapor Pressure: Not applicable.

Volatility: Not available.

Melting Point: Decomposes.

Specific Gravity: Not available.

Vapor Density: Not available.

Odor Threshold: Not available.

Water/Oil Dist. Coeff.: Not available.

Ionicity (in Water): Not available.

Dispersion Properties: Not available. **Solubility:** Not available.

10. STABILITY AND REACTIVITY

Stability: The product is stable. **Instability Temperature:** Not available.

Conditions of Instability: Not available.

Incompatibility with various substances: Not available.

Corrosivity: Non-corrosive in presence of glass. **Special Remarks on Reactivity:** Not available.

Special Remarks on Corrosivity: Not available. **Polymerization:** No.

11. TOXICOLOGICAL INFORMATION

Routes of Entry: Eye contact. Inhalation. Ingestion.

Toxicity to Animals: LD50: Not available. LC50: Not available.

Chronic Effects on Humans: Not available.

Other Toxic Effects on Humans: Hazardous in case of ingestion, of inhalation. Slightly hazardous

in case of skin contact (irritant).

Special Remarks on Toxicity to Animals: Not available.

Special Remarks on Chronic Effects on Humans: Not available. **Special Remarks on other Toxic Effects on Humans:** Not available.

12. ECOLOGICAL INFORMATION

Ecotoxicity: Not available. **BOD5 and COD:** Not available.

Products of Biodegradation: Possibly hazardous short term degradation products are not likely.

However, long term degradation products may arise.

Toxicity of the Products of Biodegradation: The products of degradation are as toxic as the

original product.

Special Remarks on the Products of Biodegradation: Not available.



13. DISPOSAL CONSIDERATIONS

Waste Disposal:

Unused material may be landfilled as domestic waste meeting local, state, and federal regulations. For contaminated material, the user must determine the hazard and use an appropriate disposal method.

14. TRANSPORT INFORMATION

DOT Classification: Not a DOT controlled material (United States).

Identification: Not applicable. **Special Provisions for Transport:** Not

applicable.

15. REGULATORY INFORMATION

Federal and State Regulations: TSCA 8(b) inventory: Fuller's earth

Other Regulations: Not available.

Other Classifications:

WHMIS (Canada): Not controlled under WHMIS (Canada).

DSCL (**EEC**): R36- Irritating to eyes.

HMIS (U.S.A.): Health Hazard: 2 Fire Hazard: 0 Reactivity: 0

Personal Protection: E

National Fire Protection Association (U.S.A.):

Health: 2

Flammability: 0 Reactivity: 0 Specific hazard:

Protective Equipment: Gloves. Lab coat. Dust respirator. Be sure to use an approved/certified

respirator or equivalent. Splash goggles.

16. OTHER INFORMATION

References: None. **Other Special Considerations:** None

Created: 2013.03.05 **Last Updated:** 2014.05.09

The information contained herein relates only to the specific material identified. C.C. JENSEN A/S believes that such information is accurate and reliable as of the date of this material safety data sheet, but no representation, guarantee or warranty, expressed or implied, is made as to the accuracy, reliability, or completeness of the information. In no event C.C. JENSEN A/S be liable for any claims, losses, or damages of any third party or for

lost profits or any special, indirect, incidental, consequential or exemplary damages, howsoever arising, even if C.C. JENSEN A/S has been advised of the possibility of such damages.

C.C. JENSEN A/S urges persons receiving this information to make their own determination as to the information's suitability and completeness for their particular application.











CCJ MATERIAL SAFETY DATA SHEET

CJCTM Filter Insert types of all sizes **EO** (Aluminum Oxide)

1. CHEMICAL PRODUCT AND COMPANY I.D.

MSDS Date: 2014.05.09 Key: BFN, Rev. 02.

CJC TM is a trademark of C.C. JENSEN A/S or one of its subsidiaries.

COMPANY I.D.: C.C. JENSEN A/S

Løvholmen 13 DK 5700 Svendborg

DENMARK

HEALTH EMERGENCY: +45 6321 2031 SPILL EMERGENCY: +45 6321 2031

2. COMPOSITION/INFORMATION ON INGREDIENTS

No CAS REG NO WEIGHT (%)

1. Aluminum oxide 1344-28-1 100

Toxicological Data on Ingredients: Aluminum oxide LD50: Not available. LC50: Not available.

3. HAZARDS IDENTIFICATION

Potential Acute Health Effects: Hazardous in case of skin contact (irritant), of eye contact (irritant), of ingestion, of inhalation.

Potential Chronic Health Effects:

CARCINOGENIC EFFECTS: A4 (Not classifiable for human or animal.) by ACGIH. MUTAGENIC EFFECTS: Not available.

TERATOGENIC EFFECTS: Classified None for human.

DEVELOPMENTAL TOXICITY: Not available. Repeated or prolonged exposure is not known to aggravate medical condition.



4. FIRST AID MEASURES

Eye Contact:

Check for and remove any contact lenses. In case of contact, immediately flush eyes with plenty of water for at least 15 minutes. Get medical attention.

Skin Contact:

In case of contact, immediately flush skin with plenty of water. Cover the irritated skin with an emollient. Remove contaminated clothing and shoes. Wash clothing before reuse. Thoroughly clean shoes before reuse. Get medical attention.

Serious Skin Contact:

Wash with a disinfectant soap and cover the contaminated skin with an anti-bacterial cream. Seek medical attention.

Inhalation:

If inhaled, remove to fresh air. If not breathing, give artificial respiration. If breathing is difficult, give oxygen. Get medical attention.

Serious Inhalation: Not available.

Ingestion: Do NOT induce vomiting unless directed to do so by medical personnel. Never give anything by mouth to an unconscious person. If large quantities of this material are swallowed, call a physician immediately. Loosen tight clothing such as a collar, tie, belt or waistband.

Serious Ingestion: Not available.

5. FIRE FIGHTING MEASURES

Flammability of the Product: Non-flammable. Auto-Ignition Temperature: Not applicable.

Flash Points: Not applicable. Flammable Limits: Not applicable.

Products of Combustion: Not available.

Fire Hazards in Presence of Various Substances: Not applicable.

Explosion Hazards in Presence of Various Substances: Risks of explosion of the product in

presence of mechanical impact: Not available.

Risks of explosion of the product in presence of static discharge: Not available.

Fire Fighting Media and Instructions: Not applicable.

Special Remarks on Fire Hazards: Chlorine Trifluoride reacts violently with Aluminum Oxide

producing a flame.

Special Remarks on Explosion Hazards: Not available.

6. ACCIDENTAL RELEASE MEASURES

Small Spill:

Use appropriate tools to put the spilled solid in a convenient waste disposal container.

Finish cleaning by spreading water on the contaminated surface and dispose of according to local and regional authority requirements.

Large Spill:

Use a shovel to put the material into a convenient waste disposal container. Finish cleaning by spreading water on the contaminated surface and allow to evacuate through the sanitary system. Be careful that the product is not present at a concentration level above TLV.

Check TLV on the MSDS and with local authorities.



7. HANDLING AND STORAGE

Precautions:

Do not breathe dust. Wear suitable protective clothing. In case of insufficient ventilation, wear suitable respiratory equipment.

If you feel unwell, seek medical attention and show the label when possible. Avoid contact with skin and eyes.

Keep away from incompatibles such as oxidizing agents, acids.

Storage: Keep container tightly closed. Keep container in a cool, well-ventilated area. Avoid storage above 40°C (104°F).

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Engineering Controls: Use process enclosures, local exhaust ventilation, or other engineering controls to keep airborne levels below recommended exposure limits.

If user operations generate dust, fume or mist, use ventilation to keep exposure to airborne contaminants below the exposure limit.

Personal Protection: Splash goggles. Lab coat. Dust respirator. Be sure to use an approved/certified respirator or equivalent. Gloves.

Personal Protection in Case of a Large Spill: Splash goggles. Full suit. Dust respirator. Boots. Gloves. A self contained breathing apparatus should be used to avoid inhalation of the product. Suggested protective clothing might not be sufficient; consult a specialist BEFORE handling this product.

Exposure Limits:

TWA: 10 (mg/m3) from ACGIH (TLV) [United States] Inhalation Total. TWA: 10 (mg/m3) [Canada] Inhalation Total. TWA: 5 (mg/m3) from OSHA (PEL) [United States] Inhalation Respirable. TWA: 15 from OSHA (PEL) [United States] Inhalation Total. TWA: 10 [United Kingdom (UK)] Inhalation Total. TWA: 4 [United Kingdom (UK)] Inhalation Respirable. Consult local authorities for acceptable exposure limits.

9. PHYSICAL AND CHEMICAL PROPERTIES

Physical state and appearance: Solid. (Solid crystalline powder.)

Odor: Odorless. **Taste:** Not available.

Molecular Weight: 101.96 g/mole **Color:** White.

pH (1% soln/water): Not applicable.

Melting Point: 2072°C (3761.6°F)

Specific Gravity: 4 (Water = 1)

Boiling Point: 2980°C (5396°F)

Critical Temperature: Not available.

Vapor Pressure: Not applicable.

Vapor Density: Not available. **Volatility:** Not available.

Odor Threshold: Not available.

Water/Oil Dist. Coeff.: Not available.

Ionicity (in Water): Not available.

Dispersion Properties: Not available.

Solubility: Very slightly soluble in cold water. Insoluble in hot water. Practically insoluble in non-polar organic solvents. Slowly soluble in aqueous alkalie solution-forming hydroxides. Very slightly soluble in acid, alkali.



10. STABILITY AND REACTIVITY

Stability: The product is stable.

Instability Temperature: Not available.

Conditions of Instability: Incompatible materials

Incompatibility with various substances: Reactive with oxidizing agents, acids.

Corrosivity: Non-corrosive in presence of glass.

Special Remarks on Reactivity: Chlorine Trifluoride reacts violently with Aluminum Oxide producing a flame. Ethylene oxide may polymerize violently when in contact with highly catalytic

surfaces such as pure Aluminum Oxide. Reacts with hot chlorinated rubber.

Special Remarks on Corrosivity: Not available.

Polymerization: Will not occur.

11. TOXICOLOGICAL INFORMATION

Routes of Entry: Inhalation. Ingestion.

Toxicity to Animals: LD50: Not available. LC50: Not available.

Chronic Effects on Humans: CARCINOGENIC EFFECTS: A4 (Not classifiable for human or

animal.) by ACGIH. TERATOGENIC EFFECTS: Classified none for human.

Other Toxic Effects on Humans: Hazardous in case of skin contact (irritant), of ingestion, of inhalation.

Special Remarks on Toxicity to Animals: Not available.

Special Remarks on Chronic Effects on Humans: May cause cancer (tumorigenic) according to animal data. No human data found.

Special Remarks on other Toxic Effects on Humans: Acute Potential Health Effects: Skin: May cause skin irritation. Eyes: Nuissance Dust. Dust may cause mechanical eye irritation.

Inhalation: Nuissance Dust. Material is irritating to mucous membranes and upper respiratory tract. May cause lung injury. Ingestion: May be harmful if swallowed. Ingestion of large amounts mat cause gastrointestinal tract irritation. It is expected to be a low hazard for normal industrial handling.

12. ECOLOGICAL INFORMATION

Ecotoxicity: Not available. **BOD5 and COD:** Not available.

Products of Biodegradation: Possibly hazardous short term degradation products are not likely.

However, long term degradation products may arise.

Toxicity of the Products of Biodegradation: The product itself and its products of degradation are

not toxic.

Special Remarks on the Products of Biodegradation: Not available.

13. DISPOSAL CONSIDERATIONS

Waste Disposal:

Unused material must be disposed of in accordance with federal, state and local environmental control regulations.

For contaminated material, the user must determine the hazard and use an appropriate disposal method.



14. TRANSPORT INFORMATION

DOT Classification: Not a DOT controlled material (United States).

Identification: Not applicable.

Special Provisions for Transport: Not applicable.

15. REGULATORY INFORMATION

Federal and State Regulations:

Illinois toxic substances disclosure to employee act: Aluminum oxide

Rhode Island RTK hazardous substances: Aluminum oxide

Minnesota: Aluminum oxide Massachusetts RTK: Aluminum oxide New Jersey: Aluminum oxide New Jersey spill list: Aluminum oxide

California Director's list of Hazardous Substances: Aluminum oxide TSCA 8(b) inventory:

Aluminum oxide

SARA 313 toxic chemical notification and release reporting: Aluminum oxide

Other Regulations:

EINECS: This product is on the European Inventory of Existing Commercial Chemical Substances.

Other Classifications:

WHMIS (Canada): Not controlled under WHMIS (Canada).

DSCL (**EEC**): R36/38- Irritating to eyes and skin. S2- Keep out of the reach of children. S46- If swallowed, seek medical advice immediately and show this container or label.

HMIS (U.S.A.): Health Hazard: 2 Fire Hazard: 0 Reactivity: 0

Personal Protection: E



Health: 2

Flammability: 0
Reactivity: 0
Specific hazard:

Protective Equipment: Gloves. Lab coat. Dust respirator. Be sure to use an approved/certified

respirator or equivalent. Splash goggles.



References: Material safety data sheet emitted by: la Commission de la Santé et de la Sécurité du Travail du Québec. -The Sigma-Aldrich Library of Chemical Safety Data, Edition II. -Hawley, G.G.. The Condensed Chemical Dictionary, 11e ed., New York N.Y., Van Nostrand Reinold, 1987.







Other Special Considerations: Not available.

Created: 2013.04.05. **Last Updated:** 2014.05.09

The information contained herein relates only to the specific material identified. C.C. JENSEN A/S believes that such information is accurate and reliable as of the date of this material safety data sheet, but no representation, guarantee or warranty, expressed or implied, is made as to the accuracy, reliability, or completeness of the information. In no event C.C. JENSEN A/S be liable for any claims, losses, or damages of any third party or for lost profits or any special, indirect, incidental, consequential or exemplary damages, howsoever arising, even if C.C. JENSEN A/S has been advised of the possibility of such damages.

C.C. JENSEN A/S urges persons receiving this information to make their own determination as to the information's suitability and completeness for their particular application.

---- End of Document ----







CCJ MATERIAL SAFETY DATA SHEET

CJCTM Filter Insert types of all sizes EL (Amberlyst)

1. CHEMICAL PRODUCT AND COMPANY I.D.

MSDS Date : 2014.05.09 Key : BFN, Rev. 02.

CJC TM is a trademark of C.C. JENSEN A/S or one of its subsidiaries. AMBERLYST® is a trademark of Rohm and Haas Company

COMPANY I.D.: C.C. JENSEN A/S

Løvholmen 13 DK 5700 Svendborg

DENMARK

HEALTH EMERGENCY: +45 6321 2031 SPILL EMERGENCY: +45 6321 2031

2. COMPOSITION/INFORMATION ON INGREDIENTS

No CAS REG NO WEIGHT (%)

1 Modified tert-amine divinylbenzene

 styrene copolymer
 37-47

 2 Water
 7732-18-5
 53-63

See Section 8, Exposure Controls / Personal Protection



3. HAZARDS IDENTIFICATION

Potential Acute Health Effects:

Hazardous in case of ingestion. Slightly hazardous in case of skin contact (irritant), of eye contact (irritant), of inhalation.

Potential Chronic Health Effects:

Hazardous in case of ingestion. Slightly hazardous in case of skin contact (irritant), of eye contact (irritant), of inhalation.

CARCINOGENIC EFFECTS: Not available. MUTAGENIC EFFECTS: Not available.

TERATOGENIC EFFECTS: Not available.

DEVELOPMENTAL TOXICITY: Not available.

4. FIRST AID MEASURES

Eye Contact: Check for and remove any contact lenses. In case of contact, immediately flush eyes with plenty of water for at least 15 minutes. Get medical attention if irritation occurs.

Skin Contact: Wash with soap and water. Cover the irritated skin with an emollient. Get medical attention if irritation develops.

Serious Skin Contact: Not available.

Inhalation: If inhaled, remove to fresh air. If not breathing, give artificial respiration. If breathing is difficult, give oxygen. Get medical attention.

Serious Inhalation: Not available.

Ingestion: Do NOT induce vomiting unless directed to do so by medical personnel. Never give anything by mouth to an unconscious person. If large quantities of this material are swallowed, call a physician immediately. Loosen tight clothing such as a collar, tie, belt or waistband.

Serious Ingestion: Not available.

5. FIRE FIGHTING MEASURES

Flammability of the Product: May be combustible at high temperature.

Auto-Ignition Temperature: 500°C / 932°F (estimate)

Flash Points: Not available.

Flammable Limits: Not available. Products of Combustion: Not available.

Fire Hazards in Presence of Various Substances: Not available.

Explosion Hazards in Presence of Various Substances: Risks of explosion of the product in presence of mechanical impact: Not available. Risks of explosion of the product in presence of static discharge: Not available.

Fire Fighting Media and Instructions: SMALL FIRE: Use DRY chemical powder. LARGE

FIRE: Use water spray, fog or foam. Do not use water jet.

Special Remarks on Fire Hazards: Not available.

Special Remarks on Explosion Hazards: Not available.



6. ACCIDENTAL RELEASE MEASURES

Small Spill: Use appropriate tools to put the spilled solid in a convenient waste disposal container. Finish cleaning by spreading water on the contaminated surface and dispose of according to local and regional authority requirements.

Large Spill: Use a shovel to put the material into a convenient waste disposal container. Finish cleaning by spreading water on the contaminated surface and allow to evacuate through the sanitary system.

7. HANDLING AND STORAGE

Precautions:

Keep away from heat. Keep away from sources of ignition. Empty containers pose a fire risk, evaporate the residue under a fume hood. Ground all equipment containing material. Do not breathe dust.

Storage: Keep container tightly closed. Keep container in a cool, well-ventilated area. Avoid temperature extremes during storage; ambient temperature preferred.

Avoid repeated freeze-thaw cycles; beads may fracture.

If frozen, thaw at room temperature.

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Engineering Controls: Use process enclosures, local exhaust ventilation, or other engineering controls to keep airborne levels below recommended exposure limits. If user operations generate dust, fume or mist, use ventilation to keep exposure to airborne contaminants below the exposure limit.

Personal Protection: Safety glasses. Lab coat. Dust respirator. Be sure to use an approved/certified respirator or equivalent. Gloves.

Personal Protection in Case of a Large Spill:

Splash goggles. Full suit. Dust respirator. Boots. Gloves. A self contained breathing apparatus should be used to avoid inhalation of the product. Suggested protective clothing might not be sufficient; consult a specialist BEFORE handling this product.

Exposure Limits: Not available.

9. PHYSICAL AND CHEMICAL PROPERTIES

Physical state and appearance: Solid. **Odor:** Not available.

Taste: Not available.

Color: Not available.

Molecular Weight: Not available.

pH (1% soln/water): Not available.

Boiling Point: Not available. **Melting Point:** Decomposes.



Critical Temperature: Not available. **Vapor Pressure:** Not applicable.

Volatility: Not available.

Water/Oil Dist. Coeff.: Not available. Dispersion Properties: Not available.

Specific Gravity: Not available. Vapor Density: Not available. Odor Threshold: Not available. Ionicity (in Water): Not available.

Solubility: Not available.

See Section 5, Fire Fighting Measures

10. STABILITY AND REACTIVITY

Stability: The product is stable.

Instability Temperature: Not available. **Conditions of Instability:** Not available.

Incompatibility with various substances: Not available.

Corrosivity: Non-corrosive in presence of glass. Special Remarks on Reactivity: Not available. Special Remarks on Corrosivity: Not available.

Polymerization: Will not occur.

11. TOXICOLOGICAL INFORMATION

Routes of Entry: Ingestion.

Toxicity to Animals: LD50: Not available. LC50: Not available.

Chronic Effects on Humans: Not available.

Other Toxic Effects on Humans: Hazardous in case of ingestion. Slightly hazardous in case of

skin contact (irritant), of inhalation.

Special Remarks on Toxicity to Animals: Not available.

Special Remarks on Chronic Effects on Humans: Not available. **Special Remarks on other Toxic Effects on Humans:** Not available.

12. ECOLOGICAL INFORMATION

Ecotoxicity: Not available. **BOD5 and COD:** Not available.

Products of Biodegradation: Possibly hazardous short term degradation products are not likely.

However, long term degradation products may arise.

Toxicity of the Products of Biodegradation: The products of degradation are more toxic.

Special Remarks on the Products of Biodegradation: Not available.

13. DISPOSAL CONSIDERATIONS

Waste Disposal:

Unused material must be disposed of in accordance with federal, state and local environmental control regulations.

For contaminated material, the user must determine the hazard and use an appropriate disposal method.



14. TRANSPORT INFORMATION

DOT Classification: Not a DOT controlled material (United States).

Identification: Not applicable.

Special Provisions for Transport: Not applicable.

15. REGULATORY INFORMATION

Federal and State Regulations: No products were found.

Other Regulations: Not available.

Other Classifications:

WHMIS (Canada): Not controlled under WHMIS (Canada).

DSCL (**EEC**): This product is not classified according to the EU regulations.

HMIS (U.S.A.): Health Hazard: 1 Fire Hazard: 1 Reactivity: 0

Personal Protection: E

National Fire Protection Association (U.S.A.):

Health: 1

Flammability: 1 Reactivity: 0 Specific hazard:

Protective Equipment: Gloves. Lab coat. Dust respirator. Be sure to use an approved/certified

respirator or equivalent. Safety glasses.

Workplace Classification

This product is considered non-hazardous under the OSHA Hazard Communication Standard (29CFR 1910.1200).

This product is not a 'controlled product' under the Canadian Workplace Hazardous Materials Information System (WHMIS).

SARA TITLE 3: Section 311/312 Categorizations (40CFR 370)

This product is not a hazardous chemical under 29CFR 1910.1200, and therefore is not covered by Title III of SARA.

SARA TITLE 3: Section 313 Information (40CFR 372)

This product does not contain a chemical which is listed in Section 313 at or **above de minimis** concentrations.

CERCLA Information (40CFR 302.4)

Releases of this material to air, land, or water are not reportable to the National Response Center under the Comprehensive Environmental Response, Compensation, and Liability Act (CERCLA) or







to state and local emergency planning committees under the Superfund Amendments and Reauthorization Act (SARA) Title III Section 304.

Waste Classification

When a decision is made to discard this material as supplied, it does not meet RCRA's characteristic definition of ignitability, corrosivity, or reactivity, and is not listed in 40 CFR 261.33. The toxicity characteristic (TC), however, has not been evaluated by the Toxicity Characteristic Leaching Procedure (TCLP).

United States

All components of this product are produced in compliance with the requirements of the U.S. Toxic Substances Control Act (TSCA) and are either listed on or are exempt from listing on the Inventory. For certain polymeric substances, the Polymer Exemption cited at 40 CFR 723.250 may apply.

16. OTHER INFORMATION

References: Not available.

Other Special Considerations: Not available.

Created: 2013.02.06

Last Updated: 2014.05.09

The information contained herein relates only to the specific material identified. C.C. JENSEN A/S believes that such information is accurate and reliable as of the date of this material safety data sheet, but no representation, guarantee or warranty, expressed or implied, is made as to the accuracy, reliability, or completeness of the information. In no event C.C. JENSEN A/S be liable for any claims, losses, or damages of any third party or for lost profits or any special, indirect, incidental, consequential or exemplary damages, howsoever arising, even if C.C. JENSEN A/S has been advised of the possibility of such damages.

C.C. JENSEN A/S urges persons receiving this information to make their own determination as to the information's suitability and completeness for their particular application.

---- End of Document ----